



Your Roof. For Life.™



**METAL ROOFING
AND BUILDING SOLUTIONS**



EXPOSED FASTENER

MasterRib..... 3
 MasterRib XT..... 4
 ValuRib..... 5
 1-1/4" & 2-1/2" Corrugated..... 6
 5V..... 7
 R/PBR/IR Panel..... 8

ARCHITECTURAL STANDING SEAM

Advantage-Lok II..... 9
 SL150..... 10

STRUCTURAL STANDING SEAM

SL175..... 11
 ML150..... 12
 ML200..... 13

SOFFIT/FLUSH PANELS

FL100..... 14

STONE COATED SHINGLES

StoneShield™..... 14

WARRANTIES

Warranties..... 15

COLOR CHARTS

Residential & Post Frame..... 16
 Commercial..... 17

SYSTEM COMPONENTS

Metal Roofing System Components..... 18

ROOF EDGES AND FLASHING FOR ASPHALT ROOFS

Roof Edges and Flashing..... 19

METAL BUILDINGS

Pre-Engineered Metal Buildings..... 20
 Metal Building Components..... 22
 Mini Storage Solutions..... 23

TRAINING AND SALES TOOLS


MasterQuote Online Order System..... 24
 MetalPro Contractor Program..... 25
 Install Videos and Apps..... 26

Union Corrugating Company, an industry leader in metal roofing materials and supplies.



Union Corrugating serves the residential, commercial, and agricultural roofing and siding markets from strategically located manufacturing facilities, giving you fast and reliable deliveries. Since 1946, Union has weathered the test of time, and we stand behind all of our products with some of the best warranties in the business.

Our mission is to be the most convenient metal roofing supplier for our customers. We will accomplish this by offering fast and reliable deliveries, high quality products, an easy and pleasant ordering experience, friendly hands-on technical support, and the best sales tools in the industry. We will achieve this by having the best people in the industry and engaging them to continually improve the customer experience.



MasterRib

EXPOSED FASTENER



MasterRib is our most popular metal roofing panel and is an industry leader in strength and durability. This versatile metal roofing panel features classic looks and is used in a wide range of roofing and sidewall applications, including residential, commercial, post-frame, and agricultural. MasterRib was designed with extra-wide ribs to increase strength and ease handling and installation. Another unique feature of the MasterRib panel is the extra-large siphoning channel on the under-lap rib which provides extra leak resistance in extreme wind and rain loads.

Specifications:

- Exposed fastener panel for roof and wall applications.
- 3:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.

Substrates and Coatings:

- 29 and 26 gauge high strength steel.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- 40 Year and Lifetime Siliconized Modified Polyester Paint System.

Testing and Approvals:

- UL 580 Class 90 Wind Uplift Construction #584.
- UL 790 Fire Resistance Class A.
- UL 2218 Impact Resistance Class 4.
- Texas Department of Insurance Approval #116.
- Miami-Dade County Approved, NOA 12.0606.01.
- Florida Building Code Approved:
 - 7271.8 – 29 ga over 19/32" plywood.
 - 7271.9 – 29 ga over 15/32" plywood.
 - 7271.10 – 29 ga over 7/16" OSB.
 - 7271.11 – 29 ga over 1"x4" overlay on 7/16" OSB.
 - 9555.2 – 26 ga over 16 ga steel purlins structural.
 - 9555.3 – 29 ga over 18 ga steel purlins structural.
 - 9555.4 – 29 ga over 2x2 wood purlins structural.
 - 9555.5 – 29 ga over 1x4 wood purlins structural.
 - 9557.1 – 29 ga over 18 ga steel purlins wall.
 - 9557.2 – 29 ga over 2x2 wood purlins wall.
 - 20484.2 – 29 ga over 7/16" OSB.
 - 20484.3 – 29 ga over 15/32" plywood.



MasterRib XT

Designed especially for Post Frame and Animal Confinement applications, MasterRib XT (eXtra Tough) is constructed of high strength U.S.-made G90 galvanized, grade 80 steel. MasterRib XT is designed for maximum strength and durability and is specified with a minimum 0.015" steel substrate, stronger than most competitive 29 gauge steels. In addition, MasterRib XT uses Union's Lifetime Warranty premium SMP paint system for superior long-term chalk and fade resistance. If you want the best for your building, choose MasterRib XT.

Specifications:

- Exposed fastener panel for roof and wall applications.
- 3:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.


Substrates and Coatings:

- 29 gauge high strength steel.
- Anti-corrosion G90 galvanized coating.
- MasterRib XT Lifetime Siliconized Modified Polyester Paint System.



Testing and Approvals:

- UL 580 Class 90 Wind Uplift Construction #584.
- UL 790 Fire Resistance Class A.
- UL 2218 Impact Resistance Class 4.
- Texas Department of Insurance Approval #116.
- Florida Building Code Approved:
 - 7271.8 - 29 ga over 19/32" plywood.
 - 7271.9 - 29 ga over 15/32" plywood.
 - 7271.10 - 29 ga over 7/16" OSB.
 - 7271.11 - 29 ga over 1"x4" overlay on 7/16" OSB.
 - 9555.3 - 29 ga over 18 ga steel purlins.
 - 9555.4 - 29 ga over 2x2 wood purlins.
 - 9555.5 - 29 ga over 1x4 wood purlins.
 - 9557.1 - 29 ga over 18 ga steel purlins.
 - 9557.2 - 29 ga over 2x2 wood purlins.
 - 20484.2 - 29 ga over 7/16" OSB.
 - 20484.3 - 29 ga over 15/32" plywood.



ValuRib


ValuRib is an inexpensive, entry-level version of our popular MasterRib metal roofing panel that's meant for use on applications where durability and strength are not as critical. This panel is popular for carports and various shade and shelter applications.

Specifications:

- Exposed fastener panel for roof and wall applications.
- 3:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.

Substrates and Coatings:

- 29 gauge high strength steel.
- Anti-corrosion galvanized or Galvalume coating.
- ValuRib paint system.



1-1/4" & 2-1/2" Corrugated

Corrugated panels are the original metal roofing and siding panels and are a traditional staple in agricultural applications. Today, usage has expanded beyond its rural roofing heritage and they are being increasingly used to add traditional and rustic looks to homes, restaurants, retail establishments, and many other building types.

Specifications:

- Exposed fastener panel for roof and wall applications.
- 3:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.

Substrates and Coatings:

1-1/4" Corrugated

- Economy and 29 gauge high strength steel.
- Anti-corrosion galvanized coating.

2-1/2" Corrugated

- Economy, 29, and 26 gauge high strength steel.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel. Economy grades use a galvanized coating.
- 40 Year and Lifetime Siliconized Modified Polyester Paint System.



Testing and Approvals:

2-1/2" Corrugated

- Florida Building Code Approved:
 - 7271.1 - 26 ga over 19/32" plywood.

5V

For generations, 5V metal roofing panels have been used on farm buildings and other rural metal roofing projects. Today, many homeowners have recognized that the timeless design is ideal for residential roofs as well. Our 5V metal roofing panels are especially popular in Florida and other coastal areas. Our 5V roof panels are designed with an enhanced "U" over "V" profile to provide maximum leak resistance.

Specifications:

- Exposed fastener panel for roof and wall applications.
- 3:12 minimum recommended roof pitch.
- Suitable for solid decking or open framing.



Substrates and Coatings:

- Economy, 29 and 26 gauge high strength steel.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel. Economy grades use a galvanized coating.
- 40 Year and Lifetime Siliconized Modified Polyester Paint System.



Testing and Approvals:

- UL 580 Class 90 Wind Uplift Construction #579 and 642.
- UL 790 Fire Resistance Class A.
- UL 2218 Impact Resistance Class 4.
- UL 1897 Uplift Test for Roof Covering.
- Texas Department of Insurance Approval #119.
- Miami-Dade County Approved, NOA 12-1231.03.
- Florida Building Code Approved:
 - 7271.2 - 26 ga over 15/32" plywood.
 - 7271.3 - 29 ga over 7/16" OSB.
 - 7271.4 - 26 ga over 19/32" plywood.
 - 7271.5 - 26 ga over 15/32" and 19/32" plywood.
 - 9555.1 - 29 ga over 1x4 wood furrings structural.
 - 20484.1 - 26 ga over 15/32" plywood.



R/PBR/IR Panel

R, PBR, and IR metal roofing panels are designed for industrial, commercial, and steel-frame building applications. The "R" family of metal roofing panels has the strength to perform on roof pitches as low as 1:12 and on spans up to five feet. The R and IR panels are designed for sidewall applications while the PBR panel has an added purlin bearing leg to provide better support for roofing applications.

Specifications:

- Exposed fastener panel for roof and wall applications.
- 1:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.



Substrates and Coatings:

- 26 and 24 gauge high strength steel.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- 26 ga available in 40 Year Siliconized Modified Polyester Paint System.
- 24 ga available in PVDF (Kynar 500 or Hylar 5000) Paint System.



Testing and Approvals:

- Texas Department of Insurance Approval #117.
- UL 580 Uplift UL 90 Construction #30, 79, 161, 167, and 638.
- UL 790 Fire Resistance Class A.
- UL 2218 Impact Resistance Class 4.
- Florida Building Code Approved:
 - 7271.13-26 ga PBR over 19/32" plywood.
 - 9555.6 - 26 ga PBR over 16 ga steel supports structural.
 - 18716.3 - 26 ga PBR over 15/32" plywood.
 - 18717.1 - 26 ga PBR over 16 ga framing structural.
 - 18719.1 - 26 ga PBR wall panel over 16 ga framing.



Advantage-Lok II



Standing seam roofs have been used on traditional and contemporary homes for more than a century. Their clean lines and fully concealed fasteners make them a favorite on a wide range of residential and commercial architecture. Our Advantage-Lok II standing seam panel offers low profile 1" high ribs that look great on residential and smaller commercial roofs. Advantage-Lok II uses an integrated screw flange and has ribs that snap securely together without the use of clips to provide an easy installation. Like all of our standing seam panels, Advantage-Lok II has outstanding wind and weather resistance.

Specifications:



- Standing seam concealed fastener panel for roof applications.
- Snap locking ribs.
- Screw flange installation.
- 3:12 minimum recommended roof pitch.
- Suitable for solid decking.

Substrates and Coatings:

- 26 and 24 gauge high strength steel.
- 0.032" aluminum.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- 26 ga available in 40 Year and Lifetime Siliconized Modified Polyester Paint Systems.
- 24 ga and aluminum available in PVDF (Kynar 500 or Hylar 5000) Paint System.

Testing and Approvals:

- UL 790 Fire Resistance Class A.
- UL 2218 Impact Resistance Class 4.
- UL 580 Uplift UL Class 90 Construction #529.
- UL 1897 Uplift Test for Roof Covering.
- Texas Department of Insurance Approval #118.
- Miami-Dade County Approved, NOA 11-0916.03.
- Florida Building Code Approved:
 - 7271.6 - 26 ga over 7/16" OSB.
 - 7271.7 - 26 ga over 15/32" plywood.
 - 18716.1 - 0.032" aluminum over 7/16" OSB or 15/32" plywood.



SL150

SL150 is a snap lock standing seam roof panel with 1.5" high ribs that installs with concealed clips. The clips allow the panel to freely expand and contract during thermal movement which can help ensure an aesthetically pleasing look when very long panel lengths are required. SL150 is popular in both residential and commercial applications and is a great choice for customers that prefer a taller rib profile or for roofs requiring very long panel lengths.

Specifications:

- Standing seam concealed fastener panel for roof applications.
- Snap locking ribs.
- Installs with clips.
- 3:12 minimum recommended roof pitch.
- Suitable for solid decking.


Substrates and Coatings:

- 26 and 24 gauge high strength steel.
- 0.032" aluminum.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- 26 ga available in 40 Year and Lifetime Siliconized Modified Polyester Paint Systems.
- 24 ga and aluminum available in PVDF (Kynar 500 or Hylar 5000) Paint System.



Testing and Approvals:

- UL 580 Construction #589.
- UL Class 4 Impact.
- UL 790 Fire Resistance Class A.
- ASTM E-283 Air, E-331 Water.
- Florida Building Code Approved:
 - 9443.1 - 24 ga over 15/32" plywood.
 - 18716.2 - 0.032" aluminum over 7/16" OSB or 15/32" plywood.



SL175

SL175 is a snap lock standing seam panel with 1.75" high ribs that can be used for architectural and light structural applications. The panel is secured with concealed clips and ribs that lock securely together. SL175 can be specified as an accent feature or a total roof system for schools, shopping centers, banks, hotels, offices, and a variety of other applications.

Specifications:

- Standing seam concealed fastener panel for roof applications.
- Snap locking ribs.
- Installs with clips.
- 2:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.
- Applicable for installations requiring weathertightness warranties.


Substrates and Coatings:

- 24 and 22 gauge high strength steel.
- 0.032" aluminum.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- PVDF (Kynar 500 or Hylar 5000) Paint System.



Testing and Approvals:

- ASTM E-1592 Wind Uplift.
- ASTM E-1646 Water Infiltration.
- ASTM E-1680 Air Leakage.
- UL-90 Wind Uplift 254, 255, 303, 343, 414, 508, 508A.
- UL Class A Fire Resistance.
- UL 2218 Impact Resistance Class 4.
- Florida Building Code Approved:
 - 7271.14 - 24 ga over 22 ga decking.
 - 17643.5 - 0.032" aluminum over 19/32" plywood.
 - 17643.6 - 0.032" aluminum over 7/16" OSB.
 - 17643.6 - 24 ga over 7/16" OSB.
 - 20484.5 - 24 ga over 15/32" plywood.



ML150

ML150 is a mechanically seamed standing seam panel for architectural applications. The panel has 1.5" high ribs and is secured with concealed clips and the ribs are locked together using a rooftop seaming machine. ML150 can be curved to meet radius panel applications. ML150 is typically specified as an accent feature for schools, shopping centers, banks, hotels, offices, and a variety of other applications.

Specifications:

- Standing seam concealed fastener panel for roof applications.
- Mechanically seamed.
- Installs with clips.
- 1:12 minimum recommended roof pitch.
- Suitable for solid deck.
- Applicable for installations requiring weathertightness warranties.


Substrates and Coatings:

- 24 gauge high strength steel.
- 0.032" aluminum.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- PVDF (Kynar 500 or Hylar 5000) Paint System.



Testing and Approvals:

- UL-90 Wind Uplift 512, 512A, 588, 603, 604, 605, 656, 658, 663.
- UL Class A Fire Resistance.
- UL 2218 Impact Resistance Class 4.
- ASTM E-283 Air and E-331 Water.
- ASTM E-1592.
- Florida Building Code Approved:
 - 9443.2 - 24 ga over 15/32" plywood.
 - 17643.1 - 0.032" aluminum over 22 ga decking.
 - 17643.2 - 24 ga over 19/32" plywood.
 - 17643.3 - 24 ga and 0.032" aluminum over 22 ga decking.
 - 17643.4 - 24 ga and 0.032" aluminum over 15/32" plywood.
 - 20484.4 - 24 ga over 15/32" plywood.



12", 16", 16-1/2" (Standard), 17-3/4", 20"

ML200

ML200 is a mechanically seamed standing seam panel with 2" high ribs that can be used for structural or architectural applications. The panel is secured with concealed clips and the ribs are locked together using a rooftop seaming machine. This type of standing seam system provides very high wind uplift resistance and structural integrity. ML200 can be specified as an accent feature or a total roof system for schools, shopping centers, banks, hotels, offices, and a variety of other applications.

Specifications:

- Standing seam concealed fastener panel for roof applications.
- Mechanically seamed.
- Installs with clips.
- 1/2:12 minimum recommended roof pitch.
- Suitable for solid deck or open framing.
- Applicable for installations requiring weathertightness warranties.


Substrates and Coatings:

- 24 gauge high strength steel.
- 0.032" aluminum.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- PVDF (Kynar 500 or Hylar 5000) Paint System.



Testing and Approvals:

- ASTM E-1592 Wind Uplift.
- ASTM E-1646 Water Infiltration.
- ASTM E-1680 Air Leakage.
- ASTM E-2140 Hydrostatic Head Resistance.
- UL-90 Wind Uplift 90, 176, 180, 238, 238A.
- UL 2218 Impact Resistance Class 4.
- UL Class A Fire Resistance.
- Florida Building Code Approved:
 - 7271.12 - 24 ga over 22 ga decking.



12", 14-5/8", 16" (Standard), 18-1/4"

FL100


FL100 is a versatile panel that can be used on commercial and residential applications. The panel can be installed in a soffit application or vertically as a wall panel. Venting is available when used as a soffit panel. The interlocking mechanism allows for rapid installation and provides a flush appearance with completely concealed fasteners.

Specifications:

- Soffit and wall panel.
- Suitable for solid substrate or open framing.

Substrates and Coatings:

- 26 and 24 gauge high strength steel.
- 0.032" aluminum.
- Anti-corrosion AZ50 Galvalume coating for painted and AZ55 for unpainted steel.
- 24 ga and aluminum available in PVDF (Kynar 500 or Hylar 5000) Paint System.
- 26 ga available in 40 Year and Lifetime Siliconized Modified Polyester Paint Systems.



Stone Coated Shingles



Stone Coated metal roofing shingles are designed for homeowners who want the performance benefits of metal roofing and the traditional looks of asphalt shingle roofs. Union offers Stoneshield™ and Decra brand stone coated shingle offerings in various colors and styles. These products are installed with screws and lock together for maximum wind and weather resistance.

Specifications:

- Stone coated metal shingle.
- Suitable for solid decking.

Substrates and Coatings:

- 26 gauge high strength steel.
- Anti-Corrosion Galvalume coating.
- Lifetime transferable warranty.



WARRANTIES

We stand behind our products with the best warranty protection in the industry. Our broad range of substrates and paint systems has a wide selection of warranties to suit the needs of your application and ensure you have years of trouble-free service. We use industry-leading SMP (Siliconized Modified Polyester) and commercial grade PVDF paint systems that are coated on premium quality Galvalume steel for outstanding fade, chalk, and corrosion resistance. Our new aluminum panels utilize our commercial grade PVDF paint system and are suited for those looking for the best in long-term corrosion resistance, especially in coastal areas.

In addition, we offer our new MetalProTECTION System Warranty for those seeking the ultimate peace of mind. This is the first metal roofing warranty in the industry to cover both materials and labor in the case of a manufacturing defect. Customers purchasing the MetalProTECTION warranty receive a registered warranty brochure which includes a matching metal color chip for their particular roof. Our MetalProTECTION warranty is offered exclusively for MetalPro contractors.

	MasterRib	MasterRib XT	ValuRib	2-1/2" Corrugated	1-1/4" Corrugated	5V	R/PBR/IR	Advantage Lok II	SL150	SL175	ML150	ML200	FL100	StoneShield™ Decra
Lifetime SMP Limited Paint Warranty*	■			■		■	■	■	■					
40 Year SMP Limited Paint Warranty	■			■		■	■	■	■				■	
MasterRib XT Limited Warranty		■												
PVDF (Kynar/Hylar) 30 Year Limited Paint Warranty**						■	■	■	■	■	■	■	■	
30 Year Aluminum Limited Coastal Warranty							■	■	■	■	■	■	■	
Stone Coated Lifetime Limited Warranty														■
25 Year Galvalume Limited Warranty	■			■	■	■	■	■	■	■	■	■	■	
20 Year ValuRib Limited Warranty			■											
MetalProTECTION System Limited Warranty	■					■	■	■						

*Lifetime warranty upgrade must be purchased.

**Applicable to 22 and 24 gauge steel.

RESIDENTIAL & POST FRAME

SMP* Paint System | 29 & 26 Gauge Galvalume® Steel Substrate | 40 Year and Lifetime Warranty

Arctic White TSR† = 63%	White TSR = 46%	Ivory TSR = 58%	Light Stone TSR = 51%	Sahara Tan TSR = 36%
Pearl Gray TSR = 35%	Cocoa Brown TSR = 29%	Burnished Slate TSR = 32%	Light Brown TSR = 36%	Clay TSR = 32%
Charcoal Gray TSR = 31%	Black TSR = 25%	Patriot Red TSR = 36%	Terracotta Red TSR = 32%	Burgundy TSR = 25%
Copper Metallic‡ TSR = 46%	Gallery Blue TSR = 25%	Royal Blue TSR = 31%	Evergreen TSR = 26%	Marine Green TSR = 30%

Non-Painted



Acrylic Coated Galvalume
TSR = 55%

Denotes Energy Star™ certified high reflectance color, which can reduce cooling costs.

Note: Colors shown have been matched as accurately as possible to actual finish. For exact color match, please request a metal color sample.

* Union utilizes the most advanced Siliconized Modified Polyester paint system in the industry, based on Akzo Nobel's Ceram-A-Star 1050 technology.

† **TSR** = Total Solar Reflectance. An Energy Star certified color must meet the following TSR requirements: 25% initial, 15% after 3 years of exposure testing.

‡ To ensure proper color match, orders for metallic colors should be placed so that they come from the same batch.

		Arctic White	White	Ivory	Light Stone	Sahara Tan	Pearl Gray	Cocoa Brown	Burnished Slate	Light Brown	Clay	Charcoal Gray	Black	Patriot Red	Terracotta Red	Burgundy	Gallery Blue	Royal Blue	Evergreen	Marine Green	Copper Metallic	Acrylic Coated Galvalume
Advantage-Lok II	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
SL150	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
MasterRib	29	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
MasterRib	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
MasterRib XT	29	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
ValuRib*	29	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
5V	29	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
5V	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
2-1/2" Corrugated	29	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
2-1/2" Corrugated	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
R Panel	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
IR Panel	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
PBR Panel	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
FL100	26	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

*ValuRib colors are not Energy Star certified.

COMMERCIAL

PVDF Paint System (KYNAR 500® or HYLAR 5000®) | 24 & 22* Gauge Galvalume Steel Substrate | 0.032" Aluminum Substrate

Standard Colors

Regal White^	Bone White	Stone White	Almond	Sandstone^
Sierra Tan	Medium Bronze^	Mansard Brown	Dark Bronze^	Terra Cotta
Ash Gray	Slate Gray^	Charcoal Gray	Matte Black	Regal Red
Aged Copper	Hemlock Green	Evergreen^	Hartford Green	Colonial Red^

Premium Colors*

Slate Blue	Regal Blue	Patina Green	Burgundy

Non-Painted



Acrylic Coated Galvalume

Metallics*

Silver Metallic^	Pre-Weathered Galvalume	Champagne Metallic	Copper Metallic

^ Denotes aluminum stock colors.
* 22 gauge and premium colors require nominal surcharge and minimum order quantities.


- Notes:**
- PVDF colors on this chart do not match colors on the Union SMP color chart.
 - Colors shown have been matched as accurately as possible to actual finish. For exact color match, please request a metal color sample.
 - Availability of colors and materials are subject to change.
 - Custom colors are available. Minimum quantities will apply.

METAL ROOFING SYSTEM COMPONENTS

We offer a full selection of system components required to complete your roof or building and to ensure years of trouble-free service.

System Components and Accessories:

Synthetic Underlayment—REPEL/REPEL II




DripStop Condensation Control




Wood Screws




Pancake Head Wood Screws




Lap Tek Screws



Ultimate Lifetime Warranty Wood Screws



Ultimate Lifetime Warranty Lap Tek Screws



Foam Closures




Emseal Expandable Closure



Standard, High Temp, and Retrofit Pipe Boots



Snow Guards



Polycarbonate Skylight Panels



Aluminum Vented Soffit



Cannonball Door Hardware



Talk to your Union sales representative should you need any other components.

ROOF EDGES AND FLASHING




Do you sell asphalt shingles? Save money by combining your flashing and roof edge shipments with your metal roofing orders.

We offer a large selection of drip edges, roll flashing, step flashing, and other roof components designed to protect your roof against water infiltration. These products are available in various colors and materials—including aluminum, steel, vinyl, copper and lead.

Our Drip Edge and Flashing Catalog gives you the additional information you need, including sizes, colors, and more. Look for these products to help guard against water infiltration.

- Drip Edges
- Drip Caps
- Step Flashing
- Angle Flashing
- Preformed Valley
- Z Flashing
- Shingle Endwall Flashing
- Window/Door Cap
- Vinyl Ledger Board
- Gutter Apron
- Rain Diverter

Ask your Union sales representative for a copy of our Drip Edge and Flashing Catalog.



PRE-ENGINEERED METAL BUILDINGS

Union now manufactures custom designed pre-engineered metal buildings for commercial, industrial, and residential applications. We can supply a complete package with factory welded, identified, marked, and pre-punched parts. All kits include a full set of easy to use erection drawings.



- Engineer stamped plans designed to meet local codes.
- Clearspan buildings.
- Straight or tapered flanged beams in custom widths and lengths.
- 26 or 24 gauge premium mill certified steel.
- Up to 30' bays.
- More than 40 colors to choose from.
- Certified vinyl-reinforced and low-E insulation available.
- Overhead crane ready haunches.
- Delivery and unloading services.
- Full range of accessories, doors, and other options.
- Fastest deliveries in the industry.
- IAS Certified manufacturing.

PRE-ENGINEERED METAL BUILDINGS



Straight Columns



Tapered Frames




METAL BUILDING COMPONENTS

Union now offers a full range of secondary structural framing components including Cees, Zees, Receiver Channel and Eave Struts in custom lengths to reduce field cutting. These components are available in standard punch patterns or can be custom slotted or punched to reduce field drilling.


- C and Z purlins
- Receiver Channel
- Eave Struts
- Base Angle
- Hat Channel
- 12, 14, and 16 gauge
- Red Oxide or galvanized




C-Purlin



Z-Purlin




Eave Struts



MINI STORAGE SOLUTIONS

Union now offers a full range of mini-storage solutions along with in-house technical and engineering support to help you design the building you need. Fast deliveries in as little as two weeks!

Call your Union sales representative to get connected to one of our mini storage experts!



- Full range of climate control, boat and RV, and open canopy units.
- In-house engineering and drafting services.
- Layout and design assistance available.
- Commercial and self-storage roll-up doors in assorted colors.
- Insulation packages to meet R-value needs.
- Over 20 colors to choose from.



MasterQuote ONLINE ORDER SYSTEM

MasterQuote is an advanced online system that allows you to easily generate estimates, price jobs, create custom quotations, and enter orders.

Features Include:

Online Pricing Database

Your secure login gives you access to your current pricing for all Union products. No need to call the plant for price confirmation.

Customized Quoting

The quoting feature allows you to create customized quotations for your customers that even incorporate your logo. You can choose how much to mark-up your quote and whether to show itemized or lump-sum pricing.

Easy Online Ordering

Once you're ready to order there's no need to re-create your work or fax anything to the plant. Simply retrieve the quote you're ready to order and click "Submit Order".

No Software to Download

MasterQuote is a cloud-based program which means there's no software to download and you can access it anywhere you have an internet connection, even on mobile devices.

Unlimited Users

You can set up accounts for as many people as you like. All you need are unique e-mail IDs for each user.

FastQuote Budgetary Estimate Tool


Allows you to quickly generate budgetary estimates for the total price of a metal roofing package based on square footage and roof complexity.

✓ Estimating

✓ Pricing

✓ Quoting

✓ Ordering



MetalPro CONTRACTOR PROGRAM



Our MetalPro program is the #1 Metal Roofing Contractor Network in the U.S., providing a high level of customer service, promoting the benefits of metal roofing, and using high quality, manufacturer recommended installation techniques and materials. MetalPro contractors have access to many benefits designed to help them grow their business and distinguish themselves from the competition.

Program Benefits:

Factory Training

Receive installation training for through-fastened and screw flange standing seam products. After attending, you can be listed on our Website Contractor Finder.

Sales Leads

Union's Contractor Finder receives inquiries each month, which generates hundreds of qualified leads.

Exclusive Warranties

Union's MetalProTECTION System Warranty is the first metal roofing warranty in the industry to cover both materials and labor in the case of a defect. This warranty is offered exclusively to MetalPro contractors.

Rewards

Receive a rebate on your first order and reward dollars for your Union metal roofing purchases to be used for cash, gift cards, marketing materials or advertising.

Sales Tools

Receive display boards, color samples, technical catalogs, etc. that you can use after your training session is over.

Advertising

Receive advertising materials designed specifically for MetalPro contractors.

Awards and Recognition

Annual awards given for various categories regarding contractor performance.

8,800
homeowners
use the Contractor
Finder each year

MetalPro contractors
receive over
\$115,000
in reward
dollars annually

Over 650
members



Metal roofing and building solutions for residential, commercial, and agricultural markets.

Manufacturing Facilities Strategically Located for Fast, Reliable Service

Corporate Headquarters
Fayetteville, NC
P: 888-685-7663
F: 800-586-2498

Dayton Plant
Tipp City, OH
P: 877-615-9812
F: 866-312-3272

Oklahoma City Plant
Yukon, OK
P: 866-373-5286
F: 866-365-9042

Scranton Plant
Olyphant, PA
P: 866-695-6455
F: 866-577-4642

Janesville Plant
Janesville, WI
P: 877-615-9812
F: 866-312-3272

Morrison Plant
Morrison, TN
P: 931-668-4393
F: 931-668-9584

Vicksburg Plant
Vicksburg, MS
P: 888-661-0577
F: 866-312-3168

Anderson Plant
Anderson, SC
P: 800-544-5169
F: 866-312-3154

Tifton Plant
Tifton, GA
P: 800-962-9131
F: 800-362-6588

Orange Plant
Orange, VA
P: 800-762-6785
F: 866-312-3156

Ocala Plant
Ocala, FL
P: 800-331-3584
F: 866-312-3157